

TABLE OF CONTENTS

	<u>Page</u>
EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
1.1 PURPOSE AND NEED	1-1
1.2 HCP DOCUMENTATION	1-3
1.2.1 Project-specific MCMCP Documents	1-3
1.3 PERMIT-RELATED ISSUES	1-4
1.3.1 Term of Permit	1-4
1.3.2 Spatial Extent Covered by the Wells HCP	1-4
1.3.3 Decision Standards	1-4
1.4 IMPACTS/EFFECTS COVERED BY THE WELLS HCP	1-5
2.0 EXISTING CONDITIONS	2-1
2.1 ENVIRONMENTAL SETTING	2-1
2.1.1 General Site Description	2-1
2.1.2 Geology and Land use	2-3
2.1.3 Water Quality	2-3
2.1.4 Hydrology	2-4
2.2 BIOLOGICAL SETTING	2-6
2.2.1 Life Histories of Plan Species	2-6
2.2.2 Distribution of Anadromous Salmonids	2-15
2.2.3 Species Not Included in the Plan	2-15
2.2.4 Listed, Candidate and Other Species of Concern	2-18
2.3 STRUCTURAL SETTING	2-18
2.3.1 Power Generating Facilities	2-18
2.3.2 Upstream Passage and Protection Facilities	2-24

2.3.3	Downstream Passage and Protection Facilities	2-27
2.3.4	Fish Production Facilities	2-27
2.4	OPERATIONAL SETTING	2-29
2.4.1	Dam and Reservoir Operations	2-29
2.4.2	Adult Fish Passage Operations	2-31
2.4.3	Juvenile Fish Passage Operations	2-33
2.4.4	Spill Management For Dissolved Gas Control	2-34
2.4.5	Fish Production Facility Operations	2-34
3.0	SALMONID PROTECTION ISSUES AND EXISTING MITIGATION MEASURES	3-1
3.1	UPSTREAM PASSAGE OF ADULT FISH	3-1
3.1.1	Upstream Passage at Wells Dam	3-2
3.1.2	Upstream Reservoir Passage	3-7
3.2	DOWNSTREAM PASSAGE OF JUVENILE FISH.....	3-10
3.2.1	Downstream Passage at Wells Dam	3-10
3.2.2	Downstream Reservoir Passage	3-22
3.3	WATER QUALITY	3-25
3.3.1	Dissolved Gas Supersaturation	3-25
3.3.2	Water Temperature	3-29
3.4	RESERVOIR PRODUCTION	3-32
3.4.1	Spawning Habitat	3-33
3.4.2	Rearing Habitat	3-35
3.5	PREDATION	3-38
3.5.1	Status of Predator Populations	3-38
3.5.2	Vulnerability of Juvenile Salmonids to Predation	3-42
3.5.3	Existing Mitigation Measures	3-45
3.5.4	Ongoing Mitigation Efforts	3-46
3.6	TRIBUTARY HABITAT STATUS AND	

IMPROVEMENT OPPORTUNITIES	3-46
3.6.1 Methow River Watershed	3-46
3.6.2 Okanogan River Watershed	3-49
4.0 REMAINING SALMONID SURVIVAL ISSUES TO BE MITIGATED	4-1
4.1 UPSTREAM PASSAGE OF ADULT FISH	4-1
4.1.1 Upstream Passage at Wells Dam	4-1
4.1.2 Upstream Reservoir Passage	4-2
4.2 DOWNSTREAM PASSAGE OF JUVENILE FISH.....	4-2
4.2.1 Downstream Passage at Wells Dam	4-2
4.2.2 Downstream Reservoir Passage	4-3
4.3 WATER QUALITY	4-3
4.3.1 Dissolved Gas Supersaturation	4-3
4.3.2 Water Temperature	4-3
4.4 RESERVOIR PRODUCTION	4-4
4.5 PREDATION	4-4
4.6 COHO REINTRODUCTION	4-4
5.0 CONSERVATION PLAN MITIGATION AND COMPENSATION MEASURES	5-1
5.1 FUNDING OF ON-SITE MITIGATION MEASURES	5-3
5.1.1 Upstream Passage of Adult Fish	5-3
5.1.2 Downstream Passage of Juvenile Salmonids	5-4
5.1.3 Water Quality	5-5
5.1.4 Reservoir Production	5-5
5.1.5 Predator Control	5-5
5.2 OFF-SITE COMPENSATORY ACTIONS	5-6
5.2.1 Wells Project Coordinating Committee	5-6
5.2.2 Hatchery Programs	5-6

5.2.3	Tributary Conservation Plan	5-8
6.0	MONITORING PLAN	6-1
6.1	FUNDING OF EVALUATION AND MONITORING PROGRAMS	6-1
6.1.1	Adult Passage Evaluation	6-1
6.1.2	Evaluation of Juvenile Passage Survival	6-1
6.1.3	Water Quality	6-2
6.1.4	Hatchery Programs	6-3
6.2	TRIBUTARY CONSERVATION PLAN	6-3
7.0	COSTS AND FUNDING	7-1
7.1	COST	7-1
7.1.1	Projected Annual Cost During the Term of the Wells HCP	7-1
7.1.2	Tributary Conservation Plan	7-2
7.2	FUNDING	7-2
8.0	ALTERNATIVES TO PROPOSED CONSERVATION MEASURES	8-1
9.0	REFERENCES	9-1

Wells HCP Table of Contents

LIST OF FIGURES

	<u>Page</u>
Figure 1-1. Location of Wells dam and other mid-Columbia Utility District and federal dams in the mid-Columbia reach (PUD projects in bold)	1-2
Figure 2-1. The mid-Columbia River in the vicinity of the Wells project	2-2
Figure 2-2. Average monthly flow at Wells dam during four different time periods of operation: 1927-1965; 1966-1972; 1973-1983; and 1983-present	2-5
Figure 2-3. Average arrival timing of adult spring (stream-type), summer and fall (ocean-type) chinook salmon at Wells dam from 1977 to 1994	2-8
Figure 2-4. Average arrival timing of adult steelhead at Wells dam from 1977 to 1994	2-12
Figure 2-5. Average arrival timing of adult sockeye salmon at Wells dam 1977 to 1994.	2-15
Figure 2-6. Transverse cross section of the river channel in the vicinity of the Wells dam	2-20
Figure 2-7. Wells dam fish passage and protection facilities	2-21
Figure 2-8. Schematic view of Wells dam intakes	2-23
Figure 2-9. Wells dam fishway plan at elevation 733 msl	2-25
Figure 2-10. Schematic view of Wells dam right bank fishway	2-26
Figure 2-11. Wells hydrocombine front and side views of downstream fish passage/protection bypass unit, showing horizontal and vertical baffle openings and attractant flows	2-28
Figure 3-1. Vertical distribution of chinook and sockeye from simultaneous fyke net samples in a bypass intake at Wells dam during spring 1985	3-13

Figure 3-2.	Average percent of monthly flow spilled at Wells dam from 1990-1994	3-18
Figure 3-3.	TDG at Wells and Rocky Reach forebays, and spill at Wells dam during April to September 1994	3-27
Figure 3-4.	Water temperature in the forebays of Wells dam in 1994	3-30
Figure 5-1.	Decision process for Wells project mitigation measures	5-2

LIST OF TABLES

	<u>Page</u>
Table 2-1. Upstream migration timing of anadromous salmonids at the Wells Projects.	2-7
Table 2-2. Aquatic animal species known to be present in areas of the mid-Columbia River	2-17
Table 2-3. Aquatic plants known to occur in the mid-Columbia River and along its shoreline	2-17
Table 2-4. Wells dam structural setting summary	2-19
Table 2-5. Project discharge (kcfs) for Wells dam, April through August, 1992	2-30
Table 2-6. Operating criteria for Wells dam fishways	2-32
Table 2-7. Turbine and associated bypass unit operation at Wells dam	2-33
Table 2-8. Fish production for 1994 for Wells dam migration hatcheries	2-36
Table 3-1. Median passage travel time of radio-tagged chinook and sockeye passing over Wells dam in 1993	3-3
Table 3-2. Fish passage efficiency of the smolt bypass system for spring and summer: 1990-1992	3-20
Table 3-3. Summary statistics for system-wide and single-project survival rates	3-24
Table 3-4. Water Temperature criteria for salmon and steelhead	3-31
Table 3-5. Number of predatory fish caught at the Wells project site during a 1993 WDFW survey	3-39
Table 3-6. Northern squawfish index values for various locations at the Wells project, 1993	3-43

Table 3-7.	Stomach contents of northern squawfish caught by electroshocking at the Wells project during the spring and early summer, 1993	3-44
------------	---	------