

## **Reference List for Proposed Rule to List Three Distinct Population Segments of Rockfish in the Georgia Basin/Puget Sound Under the ESA**

- Ainley, D. G., D. W. Anderson, and P. R. Kelly. 1981. Feeding ecology of marine cormorants in southwestern North America. *Condor* 83: 120-131.
- Ainley, D.G., Sydman, W.J., Parrish, R., and Lenarz, W. 1993. Oceanic factors influencing distribution of young rockfish (*Sebastodes*) in central California: a predator's perspective. CalCOFI Rep. 34: 133-139.
- Allen, M.J. 1982. Functional structure of soft-bottom fish communities of the southern California shelf. Ph.D., Mar. Biol., Scripps Institute of Oceanography, University of California, San Diego.
- Altheit, J., and E. Hagen. 1997. Long-term climate forcing of European herring sardine populations. *Fish. Oceanogr.* 6(2):130-139.
- Antonelis, Jr., G. A., and C. H. Fiscus. 1980. The pinnipeds of the California Current. CalCOFI Rep. 21: 68-78.
- Archibald, C.P., W. Shaw, and B.M. Leaman. 1981. Growth and mortality estimates of rockfishes (Scorpaenidae) from B.C. coastal waters, 1977-1979. Canadian Technical Report of Fisheries and Aquatic Sciences 1048, 57 p.
- Archibald, C.P., D. Fournier, and B.M. Leaman. 1983. Reconstruction of stock history and development of rehabilitation strategies for Pacific Ocean perch in Queen Charlotte Sound, Canada. Can. Tech. Rep. Fish and Aquat. Sci. No. 148. Nanaimo, B.C.
- Barss, W. H. 1989. Maturity and reproductive cycle for 35 species from the family Scorpaenidae found off Oregon. Report No. 89-7, Oregon Department of Fish and Game, Portland, OR.
- Baumgartner, T. R., A. Soutar, and V. Ferreira\_Bartrina. 1992. Reconstruction of the history of Pacific sardine and northern anchovy populations over the past two millennia from sediments of the Santa Barbara Basin, California. Calif. Coop. Ocean. Fish Investig. Rep. 33: 24-40.
- Beaudreau, A. H. and T. E. Essington. 2007. Spatial, temporal, and ontogenetic patterns of predation on rockfishes by lingcod. *Transactions of the American Fisheries Society* 136: 1438-1452.
- Berkeley, S. A., C. Chapman, and S. M. Sogard. 2004. Maternal age as a determinant of larval growth and survival in a marine fish, *Sebastodes melanops*. *Ecology* 85: 1258-1264.
- Bjorge, A., T. Bekkby, V. Bakkestuen, and E. Framstad. 2002. Interactions between harbor seals, *Phoca vitulina*, and fisheries in complex coastal waters explored by combined Geographic Information System (GIS) and energetics modeling. *ICES Journal of Marine Science: Journal du Conseil* 59:29.
- Bobko, S. J., and S. A. Berkeley. 2004. Maturity, ovarian cycle, fecundity, and age-specific parturition of black rockfish, (*Sebastodes melanops*). *Fishery Bulletin, U.S.* 102:418-429.

- Bond, G., W. Broecker, S. Johnson, J. McManus, L. Labeyrie, J. Jouzel, and G. Bonani. 1993. Correlation between climate records from North Atlantic sediments and Greenland ice. *Nature* 365: 143-147.
- Buckley, R. M. 1997. Substrate associated recruitment of juvenile *Sebastodes* in artificial reef and natural habitats in Puget Sound and the San Juan Archipelago, Washington. Wash. Dept. Fish and Wildlife Technical Report No. RAD97-06, 320.
- Burns, R. 1985. The shape and form of Puget Sound. Washington Sea Grant Program, University of Washington Press, Seattle, WA, 100 p.
- Boehlert, G. W. 1980. Size composition, age composition, and growth of canary rockfish, *Sebastodes pinniger*, and splitnose rockfish, *S. diploproa*, from the 1977 rockfish survey. *Mar. Fish. Rev.* 42: 57-63.
- Buonaccorsi, V.P., Kimbrell, C.A., Lynn, E.A., and Vetter, R.D. 2002. Population structure of copper rockfish (*Sebastodes caurinus*) reflects postglacial colonization and contemporary patterns of larval dispersal. *Can. J. Fish. Aquat. Sci.* 59: 1374-1384.
- Buonaccorsi, V.P., Kimbrell, C.A. Lynn, E.A. and Vetter, R.D. 2005. Limited realized dispersal and introgressive hybridization influence genetic structure and conservation strategies for brown rockfish, *Sebastodes auriculatus*. *Conservation Genetics* 6: 697-713.
- Butler, J., A. DeVogelaere, R. Gustafson, C. Mobley, M. Neuman, D. Richards, S. Rumsey, B. Taylor, G. VanBlaricom. 2008. Status review report for black abalone (*Haliotis cracherodii* Leach, 1814), DRAFT – 4 January 2008. NOAA Tech. Memo. NMFS-SWR-##. Online at [http://swr.nmfs.noaa.gov/media/BASR\\_Report\\_Draft\\_11\\_January\\_2008.pdf](http://swr.nmfs.noaa.gov/media/BASR_Report_Draft_11_January_2008.pdf) [accessed July 2008].
- Cailliet, G. M., E. J. Burton, J. M. Cope, and L. A. Kerr (eds). 2000. Biological characteristics of nearshore fishes of California: A review of existing knowledge., Vol. Final Report and Excel Data Matrix, Pacific States Marine Fisheries Commission. California Department of Fish and Game.
- Carr, M.H. 1983. Spatial and temporal patterns of recruitment of young-of-the-year rockfishes (Genus *Sebastodes*) into a central California kelp forest. Master of Arts, San Francisco State University/Moss Landing Marine Laboratories.
- Carlson, H.R., and Straty, R.R. 1981. Habitat and nursery grounds of Pacific rockfish, *Sebastodes* spp., in rocky coastal areas of southeastern Alaska. *Mar. Fish. Rev.* 43(7): 13-19.
- Caughley, G. 1994. Directions in conservation biology. *J. Anim. Ecol.* 63: 215-244.
- Chen, L. 1971. Systematics, variation, distribution, and biology of rockfishes of the subgenus *Sebastomus* (Pisces, Scorpaenidae, *Sebastodes*). *Bull. Scripps Inst. Oceanogr. Univ. California.* 18: 1-107.
- Clemens, W.A. and G.V. Wilby. 1961. Fishes of the Pacific coast of Canada. *Bull. Fish. Res. Board. Can.* 68: 443.
- Coombs, C. I. 1979. Reef fishes near Depoe Bay, Oregon: movement and the recreational fishery. Master of Science, Fisheries and Wildlife, Oregon State University.

- COSEWIC (Committee On The Status Of Endangered Wildlife In Canada). 2002. COSEWIC assessment and status report on the Bocaccio *Sebastodes paucispinis* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 43 p.
- Crean, P.B., T.S. Murty, and J.A. Stronach. 1988. Numerical simulation of oceanographic processes in the water between Vancouver Island and the mainland. *Oceanogr. Mar. Biol. Annu. Rev.* 26: 11-142.
- Delacy, A.C., B.S. Miller, and S.F. Borton. 1972. Checklist of Puget Sound fishes. Washington Sea Grant Program Publication WSG 72-3, 43 p.
- DeMott, G.E. 1983. Movement of tagged lingcod and rockfishes off Depoe Bay, Oregon. Master of Science, Oregon State University.
- Dethier, M.N., 1990. *A marine and estuarine habitat classification system for Washington State*. Washington Natural Heritage Program, Department of Natural Resources, Olympia, WA, 56 p.
- Dethier, M.N. 2006. Native Shellfish in Nearshore Ecosystems of Puget Sound. Puget Sound Nearshore Partnership Report No. 2006-04. Published by Seattle District, U.S.Army Corps of Engineers, Seattle, Washington. Online at [www.pugetsoundnearshore.org](http://www.pugetsoundnearshore.org)
- Downing, J. 1983. The coast of Puget Sound: Its processes and development. Washington SeaGrant, University of Washington Press, Seattle, Washington.
- Drake, J. and nine co-authors. Preliminary Scientific Conclusions of the Review of the Status of 5 Species of Rockfish: Bocaccio (*Sebastodes paucispinis*), Canary Rockfish (*Sebastodes pinniger*), Yelloweye Rockfish (*Sebastodes ruberrimus*), Greenstriped Rockfish (*Sebastodes elongatus*) and Redstripe Rockfish (*Sebastodes proriger*) in Puget Sound, Washington. National Marine Fisheries Service, Northwest Fisheries Science Center. Seattle, WA. 209p.
- Embery, S.S. and E.L. Inkpen. 1998. Water quality assessment of the Puget Sound Basin, Washington, nutrient transportation in rivers, 1980-93. US Geol. Survey, Water Resour. Investig. Rep. 97-4270.
- Engie, K. and T. Klinger. 2007. Modeling passive dispersal through a large estuarine system to evaluate marine reserve network connections. *Estuaries and Coasts*, 30, 201-213
- Environment Canada. 2005. The Georgia Basin Action Plan. Available online at:  
[http://www.pyr.ec.gc.ca/georgiabasin/basinFacts/basinFacts\\_e.htm](http://www.pyr.ec.gc.ca/georgiabasin/basinFacts/basinFacts_e.htm)
- Eschmeyer, W.N., E.S. Herald, and H. Hammon. 1983. A field guide to Pacific Coast fishes of North America. Houghton Mifflin, Boston, MA, 336 p.
- Feder, H.M., C.H. Turner, and C. Limbaugh. 1974. Observations on fishes associated with kelp beds in southern California. *Fish Bulletin* 160: 144.
- FEMAT (Forest Ecosystem Management Assessment Team). 1993. Forest ecosystem management: An ecological, economic, and social assessment. USDA Forest Service, BLM, USFWS, NOAA, EPA, and National Park Service, Portland, Oregon.
- Field, J. C. and S. Ralston. 2005. Spatial variability in rockfish (*Sebastodes* spp.) recruitment events in the California Current System. *Canadian Journal of Fisheries and Aquatic Sciences* 62: 2199-2210.

- Fisher, R., S. M. Sogard, and S. A. Berkeley. 2007. Trade-offs between size and energy reserves reflect alternative strategies for optimizing larval survival potential in rockfish. *Marine Ecology Progress Series* 344: 257-270.
- Ford, J.K.B., G. M. Ellis, L.G. Barrett-Lennard, A. B. Morton, R.S. Palm, and K.C. Balcomb. 1998. Dietary specialization in two sympatric populations of killer whales (*Orcinus orca*) in coastal British Columbia and adjacent waters. *Can. J Zool.* 76(1456-1471).
- Foreman, M. G. G., W. Callendar, A. MacFadyen, B. M. Hickey, R.E. Thomson, and E. Di Lorenzo. 2008. Modeling the generation of the Juan de Fuca Eddy. *J. Geophys. Res.* 113.
- Francis, R. C., S. R. Hare, A. B. Hollowed, and W. S. Wooster. 1998. Effects of interdecadal climate variability on the oceanic ecosystems of the NE Pacific. *Fish. Oceanogr.* 7: 1-21.
- Gaines, S.D., and J. Roughgarden. 1987. Fish in offshore kelp forests affect recruitment to intertidal barnacle populations. *Science* 235: 479-481.
- Garrison, K.J., and B.S. Miller. 1982. Review of the early life history of Puget Sound fishes. Univ. of Washington School of Fisheries Research Institute, Seattle, WA, 729 p.
- Gilpin, M.E., and M.E. Soule. 1986. Minimum viable populations: Processes of species extinction. In M.E. Soule (ed.), *Conservation Biology: The science of scarcity and diversity*, p. 19-34. Sinauer Associates, Sunderland, MA.
- Good, T. P., R. S. Waples and P. Adams (editors). 2005. Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Department of Commerce, NOAA Technical Memo. NMFS-NWFSC-66. 598 p. <http://santacruz.nmfs.noaa.gov/files/pubs/00749.pdf>
- Guillemot, P.J., R. J. Larson, W. H. Lenarz. 1985. Seasonal cycles of fat and gonad volume in five species of northern California rockfish (Scorpaenidae: *Sebastodes*). *Fishery Bulletin* 83: 299-311
- Gunderson, D. R., P. Callahan, and B. Goiney. 1980. Maturation and fecundity of four species of *Sebastodes*. *Marine Fisheries Review* 42: 74-79.
- Gustafson, R. G., W. H. Lenarz, B. B. McCain, C. C. Schmitt, W. S. Grant, T. L. Builder, R. D. Methot. 2000. [Status review of Pacific hake, Pacific cod, and walleye pollock from Puget Sound, Washington.](#) U.S. Dept. of Commerce, NOAA Tech. Memo., NMFS-NWFSC-44, 275 p. ↗
- Gustafson R.G., J. Drake, M.J. Ford, J.M. Myers, E.E. Holmes, and R.S. Waples. 2006. Status review of Cherry Point Pacific herring (*Clupea pallasi*) and updated status review of the Georgia Basin Pacific herring distinct population segment under the Endangered Species Act. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-76, 182 p.
- Hard, J. J., J. M. Myers, M. J. Ford, R.G. Cope, G.R. Pess, R. S. Waples, G. A. Winans, B. A. Berejikian, F. W. Waknitz, P. B. Adams P. A. Bisson, D. E. Campton, and R. R. Reisenbichler. 2007. Status review of Puget Sound steelhead (*Oncorhynchus mykiss*). U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-81, 117 p.
- Harrison, P.J., D.L. Mackas, B.W. Frost, R.W. Macdonald, and E.A. Crecelius. 1994. An assessment of nutrients , plankton, and some pollutants in the water column of the Juan de Fuca Strait, Strait

of Georgia, and Puget Sound, and their transboundary transport. Can Tech Rep.Fish. Aquat. Sci. 1948: 138-172.

Hart, J. L. 1973. Pacific Fishes of Canada. Fisheries Research Board of Canada Bulletin 180.

Harvey, C. J., N. Tolimieri, and P.S. Levin. 2006. Changes in body size, abundance, and energy allocation in rockfish assemblages of the Northeast Pacific. Ecological Applications 16: 1502-1515.

Haw, F. and R. Buckley. 1971. Saltwater fishing in Washington. Stanley N. Jones, Seattle. 192 pp.

Hitz, C.R. 1962. Seasons of birth of rockfish (*Sebastodes*) in Oregon coastal waters. Trans. Am. Fish. Soc. 91: 231-233.

Holmberg, E. K, D. Day, N. Pasquale, and B. Pattie. 1967. Research report on the Washington trawl fishery 1962-64. Technical report, Washington Department of Fisheries, Research Division, unpublished report.

Hsieh, C. H., C. S. Reiss, J. R. Hunter, J. R. Beddington, R. M. May, and G. Sugihara. 2006. Fishing elevates variability in the abundance of exploited species. Nature 443: 859-862.

Imbrie, J., J. D. Hays, D. G. Martinson, A. McIntyre, A. C. Mix, J. J. Morley, N. G. Pisias, W. L. Prell, and N. J. Shackleton. 1984. The orbital theory of Pleistocene climate: Support from a revised chronology of the marine  $^{18}\text{O}$  record. In A. L. Berger, (ed.), Milankovitch and Climate, Part 1, p. 269\_305. D. Reidel, Norwell, MA.

Jeffries, S., H. Huber, J. Calambokidis, and J. Laake. 2003. Trends and status of harbor seals in Washington State: 1978-1999. Journal of Wildlife Management 67: 207-218.

Jeffries, S. J., P. J. Gearin, H. R. Huber, D. L. Saul, and D. A. Pruett. 2000. Atlas of seal and sea lion haul out sites in Washington. Washington Department of Fish and Wildlife, Wildlife Science Division, Olympia. 139 pp.

Johnson, D.W. 2006. Predation, habitat complexity, and variation in density-dependent mortality of temperate reef fishes. Ecology 87: 1179-1188.

Johnson, K.A. 1997. Rockfish (*Sebastodes* spp.) recruitment to soft bottom habitats in Monterey Bay, CA. M.S. Marine Science, California State University, Stanislaus/Moss Landing Marine Laboratories, Stanislaus.

Johansson, M. L., M. A. Banks, K. D. Glunt, H. M. Hassel-Finnegan, and V. P. Buonaccorsi. 2008. Influence of habitat discontinuity, geographical distance, and oceanography on fine-scale population genetic structure of copper rockfish (*Sebastodes caurinus*). Molecular Ecology online.

Kendall. A.W. Jr. 1991. Systematics and identification of larvae and juveniles of the genus *Sebastes*. Env. Bio. Fish 30: 173-190.

Kincaid, T. 1919. An annotated list of the Puget Sound fishes. State of Washington, Department of Fisheries publication. 51 p.

Lance, M. M. and S. J. Jeffries. 2007. Temporal and spatial variability of harbor seal diet in the San Juan archipelago. Contract Report. Washington Department of Fish and Wildlife.

- Landahl, J. T., L. L. Johnson, J. E. Stein, T. K. Collier, and U. Varanasi. 1997. Approaches for Determining Effects of Pollution on Fish Populations of Puget Sound. Transactions of the American Fisheries Society 126: 519-535.
- Larson, R. J. 1980. Competition, Habitat Selection, and the Bathymetric Segregation of 2 Rockfish (*Sebastodes*) Species. Ecological Monographs 50: 221-239.
- Law, R. 2007. Fisheries-induced evolution: present status and future directions. Marine Ecology Progress Series 335: 271-277.
- Lea, R.N., McAllister, R.D., and D.A. VenTresca. 1999. Biological aspects of nearshore rockfishes of the genus *Sebastodes* from central California. Fish Bull. 177: 1-109.
- Lenarz W.H., and T.W. Echeverria. 1991. Sexual dimorphism in *Sebastodes*. Environmental Biology of Fishes 30: 71-80.
- Levin, P. S., J. A. Coyer, R. Petrik, and T. P. Good. 2002. Community-wide effects of nonindigenous species on temperate reefs. Ecology 83: 3182-3193.
- Levings C.D., and R. M. Thom. 1994. Habitat changes in the Georgia Basin: implications for resource management and restoration. Review of the Marine Environment and Biota of Strait of Georgia, Puget Sound, and Juan de Fuca Strait, Proceedings of the BC/Washington Symposium on the Marine Environment (R.C.H. Wilson, R.J. Bemish, F. Aitkens, and J. Bell (eds.)). Jan 12-14, 1994.
- London, J. M., M. M. Lance, and S. Jeffries. 2001. Observations of harbor seal predation on Hood Canal salmonids from 1998 to 2000. Washington Department of Fish and Wildlife, PSMFC Contract No. 02-15. Final Report on Studies of Expanding Pinniped Populations to NOAA, Olympia. 20.
- Longhurst, A. 2002. Murphy's law revisited: longevity as a factor in recruitment to fish populations. Fisheries Research 56: 125-131.
- Love, M.S., M. Carr, and L. Haldorson. 1991. The ecology of substrate-associated juveniles of the genus *Sebastodes*. Env. Bio. Fish. 79: 533-545.
- Love, M.S. 1996. Probably more than you want to know about the fishes of the Pacific Coast. Really Big Press, Santa Barbara, California, 215 p.
- Love, M.S., M. M. Yoklavich, and L. Thorsteinson. 2002. The rockfishes of the Northeast Pacific. University of California Press, Berkeley, California.
- Love, M.S., and M. Yoklavich. 2008. Habitat characteristics of juvenile cow cod, *Sebastodes levis* (Scorpaenidae), in Southern California. Environmental Biology of Fishes 82: 195-202.
- Love, M.S., P. Morris, M. McCrae, and R. Collins. 1990. Life history aspects of 19 rockfish species (Scorpaenidae: *Sebastodes*) from the Southern California Bight. NOAA Tech. Rep. NMFS 87, U.S. Dept. Commer.
- MacGregor, J. S. 1970. Fecundity, multiple spawning, and description of the gonads in *Sebastodes*. Special Scientific Report-- Fisheries 596, United States Fish and Wildlife Service, Washington, D.C.

- Mackas, D. L., and P.J. Harrison. 1997. Nitrogenous Nutrient Sources and Sinks in the Juan de Fuca Strait/Strait of Georgia/Puget Sound Estuarine System: Assessing the Potential for Eutrophication. *Estuarine, Coastal And Shelf Science*, 44, 1-21.
- Mantua, N. J., S. R. Hare, Y. Zhang, J. M. Wallace, and R. C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. *Bull. Am. Meteorological Soc.* 78: 1069–1079.
- Marteinsdottir, G., and K. Thorarinsson. 1998. Improving the stock-recruitment relationship in Icelandic cod (*Gadus morhua*) by including age diversity of spawners. *Canadian Journal of Fisheries and Aquatic Sciences* 55: 1372-1377.
- Mason, J. E. 1998. Declining rockfish lengths in the Monterey Bay, California, recreational fishery, 1959-94. *Marine Fisheries Review* 60:15-28.
- Masson, D. 2002. Deep water renewal in the Strait of Georgia. *Estuarine, Coastal and Shelf Science* (2002) 54, 115–126.
- Masson, D., and P.F. Cummins. 2000. Fortnightly modulation of the estuarine circulation in Juan de Fuca Strait. *Journal of Marine Research*, 58, 439-463.
- Matarese, A.C., A.W. Kendall Jr., D. M. Blood, and B.M. Vinter. 1989. Laboratory guide to early life history stages of northeast Pacific fishes. NOAA Tech. Report NMFS 80, U. S. Dept. of Comm.
- MBC Applied Environmental Sciences. 1987. Ecology of Important Fisheries Species Offshore California. Minerals Management Service, Pacific Outer Continental Shelf Region. Washington, D.C. MMS 86-0093, 252 p.
- McElhany, P., M. H. Ruckelshaus, M. J. Ford, T. C. Wainwright, and E. P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U. S. Dept. Commer. NMFS-NWFSC-42. Online at: [http://www.nwfsc.noaa.gov/assets/25/5561\\_06162004\\_143739\\_tm42.pdf](http://www.nwfsc.noaa.gov/assets/25/5561_06162004_143739_tm42.pdf).
- Mecklenburg, C., T. Mecklenburg, and L. Thorsteinson. 2002. Fishes of Alaska. Bethesda: American Fisheries Society.
- Naish, K. A., J. E. Taylor 3rd, P. S. Levin, T. P. Quinn, J. R. Winton, D. Huppert, and R. Hilborn. 2007. An evaluation of the effects of conservation and fishery enhancement hatcheries on wild populations of salmon. *Adv Mar Biol* 53: 61-194.
- Nichol, D. G., and E. K. Pikitch. 1994. Reproduction of darkblotched rockfish off the Oregon coast. *Transactions of the American Fisheries Society* 123(4): 469-481.
- Miller, B.S., and S.F. Borton. 1980. Geographical distribution of Puget Sound fishes: Maps and data source sheets. Univ. of Washington Fisheries Research Institute, 3 vols.
- Miller, D.J. and J.J. Geibel. 1973. Summary of blue rockfish and lingcod life histories; a reef ecology study; and giant kelp, *Macrocystis pyrifera*, experiments in Monterey Bay, California. *Fish Bulletin*: 137.
- Miller, D.J., and R.N. Lea. 1972. Guide to the coastal marine fishes of California. *Fish Bulletin* 157: 1-249.
- Mecklenburg, C.W., Mecklenburg, T.A. and Thorsteinson, L.K. 2002. Fishes of Alaska. American Fisheries Society, Bethesda, MD.

- Merkel, T. J. 1957. Food habits of the king salmon *Oncorhynchus tshawytscha*. Calif. Fish Game 43: 249-270.
- Morejohn, G. V., J. T. Harvey, and L. T. Krasnow. 1978. The importance of *Loligo opalescens* in the food web of marine vertebrates in Monterey Bay, California. In C. W. Recksiek and H. W. Frey (eds.), Biological, oceanographic, and acoustic aspects of the market squid, *Loligo opalescens* Berry, p. 67-98.
- Moser, H.G. 1996. Scorpaenidae: scorpionfishes and rockfishes. In H.G. Moser (ed.), The early life stages of fishes in the California current region, p. 733-795. Allen Press, Lawrence, KS.
- Moser, H.G., and G. W. Boehlert. 1991. Ecology of pelagic larvae and juveniles of the genus *Sebastodes*. Environ. Biol. Fishes 30: 203-224.
- Mumford, T.F. 2007. Kelp and Eelgrass in Puget Sound. Puget Sound Nearshore Partnership Report No. 2007-05. Published by Seattle District, U.S. Army Corps of Engineers, Seattle, Washington. Available at [www.pugetsoundnearshore.org](http://www.pugetsoundnearshore.org).
- Munk, K. 2001. Maximum ages of groundfishes in waters off Alaska and British Columbia and consideration of age determination. Alaska Fish. Res. Bull. 8: 12-21.
- Nearshore Habitat Program. 2001. The Washington state Shore Zone inventory. Washington State Department of Natural Resources, Olympia, WA. Available at: [http://www.dnr.wa.gov/ResearchScience/Topics/AquaticHabitats/Pages/aqr\\_nrsh\\_publications.aspx](http://www.dnr.wa.gov/ResearchScience/Topics/AquaticHabitats/Pages/aqr_nrsh_publications.aspx)
- Nelson, K., and M. Soulé. 1987. Genetical conservation of exploited fishes. In N. Ryman and F. Utter (eds.), Population genetics & fishery management, p. 345-368. University of Washington Press, Seattle, WA.
- NMFS (National Marine Fisheries Service) (2007) Sound Science: Synthesizing ecological and socioeconomic information about the Puget Sound ecosystem. Ruckelshaus MH, McClure MM (coordinators); prepared in cooperation with the Sound Science collaborative team. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration (NMFS), Northwest Fisheries Science Center. Seattle, Washington. 93 p.
- O'Connell, V. M. 1987. Reproductive seasons for some *Sebastodes* species in southeastern Alaska.
- O'Connell, V., and D. W. Carlisle. 1993. Habitat-specific density of adult yelloweye rockfish *Sebastodes ruberrimus* in the eastern Gulf of Alaska. Fish. Bull. 91: 304-309.
- O'Farrell, M., and L. W. Botsford. 2006. The fisheries management implications of maternal-age-dependent larval survival. Canadian Journal of Fisheries and Aquatic Sciences 63:2249-2258.
- Olesiuk, P. F., M. A. Bigg, G. M. Ellis, S. J. Crookford, and R. J. Wigen. 1990. An assessment of the feeding habits of harbour seals (*Phoca vitulina*) in the Strait of Georgia, British Columbia, based on scat analysis. Can. Tech. Rept. Fish. Aquat. Sci. 1370.
- Orr, J.W., M.A. Brown, D.C. Baker. 2000. Guide to Rockfishes (Scorpaenidae) of the Genera *Sebastodes*, *Sebastolobus*, and *Adelosebastodes* of the Northeast Pacific Ocean, Second Edition. NOAA

Technical Memorandum NMFS-AFSC-117. Available at:  
<http://www.afsc.noaa.gov/race/media/publications/archives/pubs2000/techmemo117.pdf>

- Palsson, W. A. 1987. Bottomfish catch and effort statistics from boat-based recreational fisheries in Puget Sound, 1970-1985. Olympia, WA; State of Washington, Dept. of Fisheries, Marine Fish Program, Report no. 261.
- Palsson, W. A., T.-S. Tsou, G. G. Barbman, R. M. Buckley, J. E. West, M. L. Mills, Y. W. Cheng, and R. E. Pacunski. 2008. The biology and assessment of rockfishes in Puget Sound. Washington Department of Fish and Wildlife, Olympia WA.
- Parker, S. J., H. I. McElderry, P. S. Rankin, and R. W. Hannah. 2006. Buoyancy Regulation and Barotrauma in Two Species of Nearshore Rockfish. Transactions of the American Fisheries Society 135: 1213-1223.
- Phillips, J.B. 1960. Canary rockfish. In: California ocean fisheries resources to the year 1960. California Department of Fish and Game, p 39.
- Phillips, J.B. 1964. Life history studies on ten species of rockfish (Genus *Sebastodes*). Fish Bulletin 126:1-70.
- PSAT (Puget Sound Action Team). 2007. State of the Sound 2007. Puget Sound Action Team, Olympia, WA. Publication No. PSAT:07-01.
- Ralston, S. and D.F. Howard. 1995. On the development of year-class strength and cohort variability in two northern California rockfishes. Fish. Bull. 93: 710-720.
- REEF (Reef Environmental Education Foundation). 2008. Reef environmental education foundation. Online at [www.reef.org](http://www.reef.org) [accessed 24 June 2008].
- Richards, L. J. 1986. Depth and habitat distributions of three species of rockfish (*Sebastodes*) in British Columbia: observations from the submersible PISCES IV. Environ. Biol. Fishes 17: 13-21.
- Richards, L. J., J. Paul, A. J. Cass, L. Fitzpatrick, R. van den Broek, and C. Lauridsen. 1985. SCUBA survey of rockfish assemblages in the Strait of Georgia, July to October 1984. Can. Data Rep. Fish. Aquat. Sci. 545, Department of Fisheries and Oceans, Fisheries Research Branch, Pacific Biological Station, British Columbia.
- Richardson, S.L., and W.A. Laroche. 1979. Development and occurrence of larvae and juveniles of the rockfishes *Sebastodes crameri*, *Sebastodes pinniger*, and *Sebastodes helvomaculatus* (Family Scorpaenidae) off Oregon. Fishery Bulletin 77: 1-46.
- Roberts, D.A. 1979. Food Habits as an ecological partitioning mechanism in the nearshore rockfishes (*Sebastodes*) of Carmel Bay, California. Master of Arts, San Francisco State University/Moss Landing Marine Laboratories.
- Rosenthal, R. J., L. Haldorson, L. J. Field, V. Moran-O'Connell, and M.G. LaRiviere. 1982. Inshore and shallow offshore bottomfish resources in the southeastern Gulf of Alaska, Alaska Coastal Research, Sitka.

- Ryman, N., and L. Laikre. 1991. Effects of supportive breeding on the genetically effective populations size. *Conserv. Biol.* 5: 325-329.
- Ryman, N., Jorde, P.E., and Laikre, L. 1995. Supportive breeding and variance effective population size. *Conservation Biology*, 9: 1619-1628.
- Sakuma, K.M., and S. Ralston. 1995. Distributional patterns of late larval groundfish off central California in relation to hydrographic features during 1992 and 1993. *Calif. Coop. Oceanic Fish. Inves. Rep.* 36: 179-192.
- Secor, D. H. 2000. Longevity and resilience of Chesapeake Bay striped bass. *ICES Journal of Marine Science* 57: 808-815.
- Seeb, L. W. 1998. Gene flow and introgression within and among three species of rockfishes, *Sebastodes auriculatus*, *S. caurinus*, and *S. maliger*. *Journal of Heredity* 89(5): 393-403.
- Shanks, A.L. and J.L Ekert. 2005. Population persistence of California Current fishes and benthic crustaceans: a marine drift paradox. *Ecological Monographs* 75(4): 505-524.
- Shaw, F. R. 1999. Life history of four species of rockfish (Genus *Sebastodes*). Ph.D. dissertation, School of Fisheries, University of Washington, Seattle.
- Shipman, H. 2004. Coastal bluffs and sea cliffs on Puget Sound, Washington. U.S. Geological Survey Professional Paper 1693, pp. 81-94.
- Smith, R. T. 1936. Report on the Puget Sound Otter Trawl Investigations. Biological Report No. 36B. Department of Fisheries, State of Washington.
- Snover, A. K., P. W. Mote, L. W. Binder, A. F. Hamlet, and N. J. Mantua. 2005. Uncertain future: climate change and its effects on Puget Sound. . A report for the Puget Sound Action Team by the Climate Impacts Group (Center for Science in the Earth System, Joint Institute for the Study of the Atmosphere and Oceans, University of Washington, Seattle.
- Speich, S. and T. R. Wahl. 1989. Catalog of Washington marine bird colonies. U.S. Fish Wildl. Serv. Biol. Rep. 88(6): 1-510.
- STAT (1999) Status of the canary rockfish resource off Oregon and Washington in 1999, National Marine Fisheries Service, Newport.
- Stevens, D.E., and L.W. Miller. 1983. Effects of river flow on abundance of young Chinook salmon, American shad, longfin smelt, and delta smelt in the Sacramento-San Joaquin river system. *Journal of Fisheries Management* 3: 425-437.
- Stewart, I.J. 2007. Status of bocaccio off California in 2007. Pacific Fishery Management Council 7700 NE Ambassador Place, Suite 101, Portland, OR 97220-1384, Portland, OR, 362p.
- Stout, H. A., B. B. McCain, R. D. Vetter, T. L. Builder, W. H. Lenarz, L. L. Johnson, and R. D. Methot. 2001. Status review of copper rockfish (*Sebastodes caurinus*), quillback rockfish (*S. maliger*), and brown rockfish (*S. auriculatus*) in Puget Sound, Washington. NOAA Technical Memorandum NMFS-NWFSC-46.

Sogard, S. M., S. A. Berkeley, and R. Fisher. 2008. Maternal effects in rockfishes *Sebastodes* spp.: a comparison among species. Marine Ecology Progress Series 360: 227-236.

Sound Science (Puget Sound Action Team). 2007. State of the Sound 2007. Available at:  
[http://www.psp.wa.gov/downloads/SOS07/2007\\_stateofthesound\\_fulldoc.pdf](http://www.psp.wa.gov/downloads/SOS07/2007_stateofthesound_fulldoc.pdf)

Stout, H.A. and six co-authors. Status Review of Copper Rockfish (*Sebastodes caurinus*), Quillback Rockfish (*S. maliger*), and Brown Rockfish (*S. auriculatus*) in Puget Sound, Washington. Northwest Fisheries Science Center. NOAA Technical Memorandum NMFS-NWFSC-46. Available at:  
<http://www.nwfsc.noaa.gov/publications/techmemos/tm46/contents.htm>

Sumida, B. Y., and H. G. Moser. 1984. Food and feeding of Bocaccio and comparison with Pacific hake larvae in the California current. Calif. Coop. Oceanic Fish. Invest. Rep. 25:112–118.

Sumida, B.Y., H.G. Moser, and E.H. Ahlstrom. 1985. Descriptions of larvae of California yellowtail, *Seriola lalandi*, and three other carangids from the eastern tropical Pacific: *Chloroscombrus orqueta*, *Caranx caballus*, and *Caranx sexfasciatus*. CalCOFI Rep. 26: 139-159.

Swain, D. P. 1999. Changes in the distribution of Atlantic cod (*Gadus morhua*) in the southern Gulf of St. Lawrence: effects of environmental change or change in environmental preferences? Fish. Oceanogr. 8: 1-17.

Thomson, R.E. 1994. Physical oceanography of the Strait of Georgia-Puget Sound-Juan de Fuca Strait System. In R.C. Wilson et al. (eds) Review of marine environment and biota of the of Georgia-Puget Sound-Juan de Fuca Strait, p36-98. Proceedings of the BC/Washington Symposium on the Marine Environment, January 13 & 14, 1994. Can. Tech. Rep. Fish. Aquat. Sci. 1948.

Thompson, G.G. 1991. Determining minimum viable populations under the Endangered Species Act. NOAA Tech. Memo. NMFS F/NWC-198, 78 p.

Thorson, R. M. 1980. Ice-sheet glaciation of the Puget Lowland, Washington, during the Vashon Stade (Late Pleistocene). Quat. Res. 13: 303-321.

Tolimieri, N. and P. S. Levin. 2005. The roles of fishing and climate in the population dynamics of bocaccio rockfish. Ecological Applications 15: 458-468.

Transboundary Georgia Basin-Puget Sound Environmental Indicators Working Group. 2002. Georgia Basin-Puget Sound Environmental Indicators Working Group Report. Georgia Basin Ecosystem Initiative Publication Number: EC/GB-01-034, Washington State Department of Ecology Publication Number: 02-01-002

Tully, J.P. and A.J. Dodimead. 1957. Properties of the water in the Strait of Georgia, British Columbia, and influencing factors. J. Fish. Board Can. 14: 241-319.

Varanasi, U. 2007. Memorandum from U. Varanasi (Northwest Fisheries Science Center) to D. R. Lohn (Northwest Regional Administrator) RE: Scientific review of Petition to List Five Rockfish Species in Puget Sound as Endangered or Threatened under the Endangered Species Act.. 08/01/2006. 5 pp.

- Vetter, R.D., and E.A. Lynn. 1997. Bathymetric demography, enzyme activity patterns, and bioenergetics of deep-living scorpaenid fishes (genera *Sebastodes* and *Sebastolobus*): paradigms revisited. *Marine Ecology Progress Series* 155: 173-188.
- Wainwright, T. C. and R. G. Kope. 1999. Short Communication: Methods of extinction risk assessment developed for U.S. West Coast salmon. *ICES J. Mar. Sci.* 56: 444-448.
- Waldichuck, M. 1957. Physical oceanography of the Strait of Georgia, British Columbia. *J. Fish. Res. Board Can.* 14:321-486.
- Wallace, J.R. 2007. Update to the status of yelloweye rockfish (*Sebastodes ruberrimus*) off the U.S. West Coast in 2007, Pacific Fishery Management Council, Portland, OR.
- Waples, R.S., and C. Do. 1994. Genetic risk associated with supplementation of Pacific salmonids: Captive broodstock programs. *Can. J. Fish. Aquat. Sci.* 51 (Suppl. 1): 310-329.
- Washington, P. M., R. Gowan, and D. H. Ito. 1978. A biological report on eight species of rockfish (*Sebastodes* spp.) from Puget Sound, Washington. Northwest and Alaska Fisheries Center Processed Report, National Marine Fisheries Service, Seattle.
- Wieland, K., A. Jarre-Teichmann, and K. Horbowa. 2000. Changes in the timing of spawning of Baltic cod: possible causes and implications for recruitment. *ICES Journal of Marine Science* 57: 452-464.
- West, J. E., S. M. O'Neill, G. R. Lippert, and S. R. Quinnell. 2002. Toxic contaminants in marine and anadromous fish from Puget Sound, Washington: Results from the Puget Sound Ambient Monitoring Program Fish Component, 1989-1999. Washington Department of Fish and Wildlife, FTP01-14, Olympia, WA.
- Westrheim, S.J. 1975. Reproduction, maturation, and identification of larvae of some *Sebastodes* (Scorpaenidae) species in the northeast Pacific Ocean. *J. Fish. Res. Bd. Canada* 32: 2399-2411.
- Wyllie Echeverria, T. 1987. Thirty-four species of California rockfishes: maturity and seasonality of reproduction. *Fish. Bull.* 85: 229-250.
- Yamanaka, K. L., L. C. Lacko, R. Withler, C. Grandin, J. K. Lochead, J. C. Martin, N. Olsen, and S. S. Wallace. 2006. A review of yelloweye rockfish *Sebastodes ruberrimus* along the Pacific coast of Canada: biology, distribution, and abundance trends Research Document 2006/076.
- Yoklavich, M. M. 1998. Marine harvest refugia for west coast rockfish: a workshop. NOAA Technical Memorandum NMFS-SWFSC-255, Silver Springs, Maryland, USA. 128 p.
- Yoklavich, M. M., H. G. Greene, G. M. Cailliet, D. E. Sullivan, R. N. Lea, and M. S. Love. 2000. Habitat associations of deep-water rockfishes in a submarine canyon: an example of a natural refuge. *Fish. Bull.* 98: 625-641.