

## Reference List for Proposed Rule to List the Southern Distinct Population Segment of Eulachon as Threatened under the Endangered Species Act

- ALCAN. 2005. Alcan Primary Metal – British Columbia’s Environmental Annual Report 2004. Online at [http://www.alcaninbc.com/environmental-reports/2004/pdf-downloads/Alcan\\_EAR\\_2004.pdf](http://www.alcaninbc.com/environmental-reports/2004/pdf-downloads/Alcan_EAR_2004.pdf) [accessed July 2008].
- ALCAN. 2006. Alcan Primary Metal – British Columbia’s Environmental Annual Report 2005. Online at <http://www.alcaninbc.com/environmental-reports/2005%20Alcan%20EAR.pdf> [accessed July 2008].
- ALCAN. 2007. Alcan Primary Metal – British Columbia’s Annual Environmental Report 2006. Online at <http://www.alcaninbc.com/environmental-reports/2006%20AER%205.1.pdf> [accessed July 2008].
- Atkinson, D. 1994. Temperature and organism size—a biological law for ectotherms? *Adv. Ecol. Res.* 25: 1-58.
- Bailey, K. M., and E. D. Houde. 1989. Predation on eggs and larvae of marine fishes and the recruitment problem. *Adv. Mar. Bio.* 25: 1-83.
- Barraclough, W.E. 1964. Contributions to the marine life history of the eulachon (*Thaleichthys pacificus*). *Journal of the Fisheries Research Board of Canada* 21(5): 1333-1337.
- Barrett, B.M., F.M. Thompson, and S.N. Wick. 1984. Adult anadromous fish investigations: May-October 1983. Susitna Hydro Aquatic Studies, report No. 1, APA Document No. 1450. Alaska Department of Fish and Game, Anchorage, AK.
- Barry, R.G. 2006. The status of research on glaciers and global glacier recession: a review. *Progress in Physical Geography* 30: 285-306
- Beacham, T. D, Hay, D. E., and Le, K. D. 2005. Population structure and stock identification of eulachon (*Thaleichthys pacificus*), an anadromous smelt, in the Pacific Northwest. *Mar. Biotech.* 7:363-372.
- Bernatchez, L. 1997. Mitochondrial DNA analysis confirms the existence of two glacial races of rainbow smelt (*Osmerus mordax*) and their reproductive isolation in the St. Lawrence River estuary (Quebec, Canada). *Mol. Ecol.* 6:73-83
- Buchheister, A., and M. T. Wilson. 2005. Shrinkage correction and length conversion equations for *Theragra chalcogramma*, *Mallotus villosus* and *Thaleichthys pacificus*. *J. Fish Biol.* 67: 541-548

- Burrows, B. 2005. Unpublished. Oolichon study on the Wannock and Kilbella rivers  
March/April, 2005. Wuikinuxv Fisheries Department. Rivers Inlet, British Columbia.
- Canadian Bureau of Statistics. 1941. Fisheries Statistics of Canada, 1917-1941. Canada-  
Department of Trade and Commerce, Dominion Bureau of Statistics, Fisheries Statistics  
Branch. Printer to the King's Most Excellent Majesty, Ottawa
- Caughley, G. 1994. Directions in conservation biology. *J. Anim. Ecol.* 63:215-244
- CDFG (California Department of Fish and Game). 2008. Letter dated June 13, 2008 to Peter B.  
Adams, Southwest Fisheries Science Center from Steve Cannata, California Department  
of Fish and Game. Subject: Eulachon Data Search. 3 p.
- CDMF (Canadian Department of Marine Fisheries). 1916. Canadian Department of Marine  
Fisheries Annual Report 1900-1916. Annual report on the fisheries of Province of British  
Columbia (1900-1916) – In sessional papers of the Dominion of Canada, Canadian  
Department of Marine Fisheries, Annual Report of the Inspector of Fisheries of British  
Columbia.
- Clarke, A.D., A. Lewis, K.H. Telmer, and J.M Shrimpton. 2007. Life history and age at maturity  
of an anadromous smelt, the eulachon, *Thaleichthys pacificus*. *Journal of Fish Biology*  
(71): 1479-1493.
- Codere, H. 1990. Kwakiutl: traditional culture. *In* W. Suttles (ed.), *Handbook of North  
American Indians*, Vol. 7, Northwest Coast, p. 359-377. Smithsonian Institution,  
Washington, DC.
- DFO (Department of Fisheries and Oceans Canada). 2006. Fraser River eulachon (*Thaleichthys  
pacificus*): 2006 population assessment and harvest recommendations for 2007. DFO  
Can. Sci. Advis. Sec. Sci. Advis. Rep. 2006/039.
- DFO (Department of Fisheries and Oceans Canada). 2007. Fraser River eulachon (*Thaleichthys  
pacificus*): 2007 population assessment and harvest recommendations for 2008. DFO  
Can. Sci. Advis. Sec. Sci. Advis. Rep. 2007/048.
- DFO (Department of Fisheries and Oceans Canada). 2008. Eulachon integrated fisheries  
management plan April 1, 2008 to March 31, 2009. Department of Fisheries and Oceans  
Canada.
- Dodimead, A. J., F. Favorite, and T. Hirano. 1963. Salmon of the North Pacific Ocean – Part II.  
Review of oceanography of the subarctic Pacific region. *Int. North Pac. Fish. Comm.*  
Bull. 13.
- Dulvy, N. K., J. R. Ellis, N. B. Goodwin, A. Grant, J. D. Reynolds, and S. Jennings. 2004.  
Methods of assessing extinction risk in marine fishes. *Fish.* 5:255–276.

- Dulvy, N. K., Y. Sadovy, and J. D. Reynolds. 2003. Extinction vulnerability in marine populations. *Fish Fish.* 4:25–64
- EcoMetrix (EcoMetrix Incorporated). 2006. Summary of 2006 eulachon study results and 2007 study design. Report prepared for EUROCAN PULP and PAPER CO., Kitimat, British Columbia.
- Emmett R.L., R.D. Brodeur, T. W. Miller, S. S. Pool, G. K. Krutzikowsky, P. J. Bentley, and J. McCrae. 2005. Pacific sardine (*Sardinops sagax*) abundance, distribution, and ecological relationships in the Pacific Northwest. *CalCOFI Rep.* 46:122–143.
- Emmett, R.L, S.L. Stone, S.A Hinton, and M.E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in West Coast estuaries, Vol. II: Species life histories summaries. Estuarine Living Marine Resources Program Report No. 8. NOAA, Rockville, MD. 329 p.
- FEMAT (Forest Ecosystem Management Assessment Team). 1993. Forest ecosystem management: An ecological, economic, and social assessment. USDA Forest Service, BLM, USFWS, NOAA, EPA, and National Park Service, Portland, Oregon.
- Ferrari, M.R., J.R. Miller, and G.L. Russell. 2007. Modeling changes in summer temperature of the Fraser River during the next century. *J. Hydrology* 342:336-346
- Fisheries Centre Research Reports, Vol. 10, No. 1, Fisheries Centre, Univ. British Columbia, Vancouver.
- Fry, D. H., Jr. 1979. Anadromous fishes of California., Calif. Dept. Fish & Game, Sacramento, CA.
- Gilpin, M. E., and M. E. Soule. 1986. Minimum viable populations: process of species extinctions. Pages 19-34 in M. E. Soule (editor), *Conservation biology: the science of scarcity and diversity*. Sinauer, Sunderland, MA.
- Good, T. P., R. S. Waples and P. Adams (editors). 2005. Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Department of Commerce, NOAA Technical Memo. NMFS-NWFSC-66. 598 p. <http://santacruz.nmfs.noaa.gov/files/pubs/00749.pdf>
- Gustafson, R. and nine coauthors. 2008. Summary of scientific conclusions of the review of the status of eulachon (*Thaleichthys pacificus*) in Washington, Oregon, and California. NMFS Northwest Fisheries Science Center. Seattle, WA. 114 p.
- Hamilton, J. B., G. L. Curtis, S. M. Snedaker, and D. K. White. 2005. Distribution of anadromous fishes in the Upper Klamath River watershed prior to hydropower dams - A synthesis of the historical evidence. *Fisheries* 30(4):10-20.

- Hamori-Torok, C. 1990. Haisla. *In* W. Suttles (ed.), Handbook of North American Indians, Vol. 7, Northwest Coast, p. 306-311. Smithsonian Institution, Washington, DC.
- Hannah, R.W. and S.A. Jones. 2007. Effectiveness of bycatch reduction devices (BRDs) in the ocean shrimp (*Pandalus jordani*) trawl fishery. *Fisheries Research* 85: 217-225.
- Hart, J.L. and J.L. McHugh. 1944. The smelts (Osemeridae) of British Columbia. *Fisheries Research Board of Canada* 64. 27 p.
- Hauser, L., and G. R. Carvalho. 2008. Paradigm shifts in marine fisheries genetics: ugly hypotheses slain by beautiful facts. *Fish.* 9: 333-362.
- Hay, D. 2002. The eulachon in Northern British Columbia. *In* T. Pitcher, M. Vasconcellos, S. Heymans, C. Brignall, and N. Haggan (eds.), Information supporting past and present ecosystem models of Northern British Columbia and the Newfoundland Shelf, p. 98-107.
- Hay, D. E. and McCarter, P. B. 2000. Status of the eulachon *Thaleichthys pacificus* in Canada. Department of Fisheries and Oceans Canada, Canadian Stock Assessment Secretariat, Research Document 2000-145. Ottawa, Ontario.
- Hay, D. E., and Beacham, T. D. 2005. Stock identification of eulachon (*Thaleichthys pacificus*), an anadromous smelt in the eastern Pacific. Paper presented at ICES 2005 Annual Science Conference, Aberdeen, Scotland, UK. Online at <http://www.ices.dk/products/CMdocs/2005/K/K1405.pdf> [accessed March 2008].
- Hedgecock, D. 1994. Does variance in reproductive success limit effective population sizes of marine organisms? *In* A.R. Beaumont (ed.), Genetics and Evolution of Aquatic Organisms, p. 122–134. Chapman & Hall, London.
- Higgins, P.S., I.K. Birtwell, B.T. Atagi, D. Chilton, M. Gang, G.M. Kruzynski, H. Mahood, G.E. Piercey, B.A. Raymond, I.H. Rogers, and S. Spohn. 1987. Some characteristics of the eulachon (*Thaleichthys pacificus*) captured in the Fraser River estuary, British Columbia, April 1986, Department of Fisheries and Oceans, Canada, Canadian Manuscript Report of Fisheries and Aquatic Science No. 1913. West Vancouver, British Columbia. 47 p.
- Hillemeier, D. Personal Communication. Yurok Tribal Fisheries Program, 190 Klamath Blvd., Klamath, CA 95548
- Hilton, S. F. 1990. Haihais, Bella Bella, and Oowekeeno. *In* W. Suttles (ed.), Handbook of North American Indians, Vol. 7, Northwest Coast, p. 312-322. Smithsonian Institution, Washington, DC.
- Hjort, J. 1914. Fluctuations in the great fisheries of Northern Europe. *Cons. Perm. Int. Explor. Mer Rapp. P.-V. Reun.* 20: 1-13.

- Hooff, R. C., and W. T. Peterson. 2006. Copepod biodiversity as an indicator of changes in ocean and climate conditions of the northern California current ecosystem. *Limnol. Oceanogr.* 51: 2607-2620.
- Hubbs, C.L. 1925. A revision of the Osmerid fishes of the North Pacific. *Proceedings of the Biological Society of Washington* 38:49-56
- Hutchings, J. A. 2000. Collapse and recovery of marine fishes. *Nature* 406:882–885.
- Hutchings, J. A. 2001a. Conservation biology of marine fishes: Perceptions and caveats regarding assignment of extinction risk. *Can. J. Fish. Aquat. Sci.* 58:108–121.
- Hutchings, J. A. 2001b. Influence of population decline, fishing, and spawner variability on the recovery of marine fishes. *J. Fish Biol.* 59 (Suppl. A):306–322
- Hutchings, J. A., and J. D. Reynolds. 2004. Marine fish population collapses: Consequences for recovery and extinction risk. *BioScience* 54:297–309.
- ICES (International Council for the Exploration of the Seas). 2004. Report of the working group on the application of genetics in fisheries and mariculture. ICES, Copenhagen, ICES CM, No. 2004/F:04.
- ISAB (Independent Scientific Advisory Board). 2007. Climate change impacts on Columbia River basin fish and wildlife. ISAB, Report 2007-2, Portland, Oregon.
- JCRMS (Joint Columbia River Management Staff). 2005. Joint staff report concerning commercial seasons for sturgeon and smelt in 2006. Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife. Online at <http://wdfw.wa.gov/fish/crc/dec0605jointstaff.pdf> [accessed March 2008].
- JCRMS (Joint Columbia River Management Staff). 2006. 2007 joint staff report: stock status and fisheries for sturgeon and smelt. Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife. Online at [http://wdfw.wa.gov/fish/crc/sturgeon\\_smelt07.pdf](http://wdfw.wa.gov/fish/crc/sturgeon_smelt07.pdf) [accessed March 2008].
- JCRMS (Joint Columbia River Management Staff). 2007. 2008 joint staff report concerning stock status and fisheries for sturgeon and smelt. Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife. Online at [http://wdfw.wa.gov/fish/crc/crc2008\\_sturgeon\\_smelt\\_js\\_rpt.pdf](http://wdfw.wa.gov/fish/crc/crc2008_sturgeon_smelt_js_rpt.pdf) [accessed March 2008].
- Jennings, M. R. 1996. Past occurrence of eulachon, *Thaleichthys pacificus*, in streams tributary to Humboldt Bay, California. *Calif. Fish and Game* 82(6):147-148.
- Kaukinen, K. H., K. J. Supernault, and K. M. Miller. 2004. Development of microsatellite loci in eulachon fish (*Thaleichthys pacificus*). *Mol. Ecol. Notes* 4:632-634.

- Kennedy, D. I. D., and R. T. Bouchard. 1990. Bella Coola. In W. Suttles (ed.), Handbook of North American Indians, Vol. 7, Northwest Coast, p. 323-339. Smithsonian Institution, Washington, DC.
- Langer, O.E., B.G. Shepherd, P.R. Vroom. 1977. Biology of Nass River eulachon (*Thaleichthys pacificus*). Department of Fisheries and Environment, Canada, Fisheries and Marine Service, Technical Report Series No. PAC, T-77-10. 56 p.
- Larson, Z. S., and M. R. Belchik. 1998. A preliminary status review of eulachon and Pacific lamprey in the Klamath River Basin. Yurok Tribal Fisheries Program, Klamath, CA.
- Lasker, R. 1975. Field criteria for survival of anchovy larvae: the relation between inshore chlorophyll maximum layers and successful first feeding. Fish. Bull. 73: 453-462.
- Lawson, P. W. 1993. Cycles in ocean productivity, trends in habitat quality, and the restoration of salmon runs in Oregon. Fisheries (Bethesda, MD) 18(8): 6-10.
- Lewis, A. F. J. 1997. Skeena eulachon study 1997. Report prepared by Triton Environmental Consultants Ltd., Terrace, BC and the Tsimshian Tribal Council, Prince Rupert, British Columbia for Forest Renewal BC. Final report to the Science Council of British Columbia (SCBC #96/97-123). Online at <http://www.for.gov.bc.ca/hfd/library/FRBC1997/FRBC1997MR216.PDF> [accessed July 2008].
- Lewis, A.F.J., M.D. McGurk, and M.G. Galesloot. 2002. Alcan's Kemano River eulachon (*Thaleichthys pacificus*) monitoring program 1988-1998. Consultant's report prepared by Ecofish Research Ltd. For Alcan Primary Metal Ltd., Kitimat, British Columbia. 136 p.
- Lindsey, C. C. 1966. Body sizes of poikilotherm vertebrates at different latitudes. Evolution 20: 456-465.
- Longhurst, A. R. 2006. Ecological geography of the sea, 2nd edition. Elsevier Academic Press, Amsterdam.
- Mace, G. M., and E. J. Hudson. 1999. Attitudes toward sustainability and extinction. Cons. Biol. 13:242-246
- Mackas, D. L., S. Batten, and M. Trudel. 2007. Effects on zooplankton of a warmer ocean: Recent evidence from the Northeast Pacific. Prog. Oceanogr. 75: 223-252
- Mackas, D.L., R. E. Thomson, and M. Galbraith. 2001. Changes in the zooplankton community of the British Columbia continental margin, 1985-1999, and their covariation with oceanographic conditions. Can. J. Fish. Aquat. Sci. 58: 685-702.

- Macnair, P. L. 1971. Descriptive notes on the Kwakiutl manufacture of eulachon oil. *Syesis* 4: 169-177.
- Mantua, N. J., and S. R. Hare. 2002. The Pacific decadal oscillation. *J. Oceanogr.* 58: 35-44.
- McElhany, P., M. Ruckelshaus, M. Ford, T. Wainwright, and E. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U. S. Dept.
- McFarlane, G. A., J. R. King, and R. J. Beamish. 2000. Have there been recent changes in climate? Ask the fish. *Progr. Oceanogr.* 47: 147-169.
- McLean, J. E., and E. B. Taylor. 2001. Resolution of population structure in a species with high gene flow: microsatellite variation in the eulachon (*Osmeridae: Thaleichthys pacificus*). *Mar. Biol.* 139:411-420.
- McLean, J. E., Hay, D. E., and Taylor, E. B. 1999. Marine population structure in an anadromous fish: Life history influences patterns of mitochondrial DNA variation in the eulachon, *Thaleichthys pacificus*. *Mol. Ecol.* 8:S143-S158.
- Meier, M.F., M.B. Dyurgerov, G.J. McCabe. 2003. The health of glacier: recent changes in a glacier regime. *Climate Change* (59): 123-135.
- Minckley, W. L., D. A. Hendrickson, and C. E. Bond. 1986. Geography of western North American freshwater fishes: Description and relationship to intracontinental tectonism. *In* C. H. Hocutt and E. O. Wiley (eds.), *The zoogeography of North American freshwater fishes*, p. 519-613. New York, John Wiley and Sons.
- Moody, M. 2007. The Bella Coola eulachon fishery, its importance and its past and current status. Presentation at the Feb 2007 Workshop to Determine Research Priorities for Eulachon. Online at [http://www.pac.dfo-mpo.gc.ca/sci/herring/hertags/2007eulawkshp\\_ch.pdf](http://www.pac.dfo-mpo.gc.ca/sci/herring/hertags/2007eulawkshp_ch.pdf) [accessed August 2008].
- Moody, M. F. 2008. Eulachon past and present. Masters thesis, Univ. British Columbia, Vancouver, BC. 292 p. Online at [https://circle.ubc.ca/bitstream/2429/676/1/ubc\\_2008\\_spring\\_moody\\_megan.pdf](https://circle.ubc.ca/bitstream/2429/676/1/ubc_2008_spring_moody_megan.pdf) [accessed July 2008].
- Morrison, J., M.C. Quick, M.G. Foreman. 2002. Climate change in the Fraser River watershed: flow and temperature projections. *Journal of Hydrology* 263: 230-244.
- Mote, P.W. 2003a. Trends in temperature and precipitation in the Pacific Northwest during the twentieth century. *Northwest Science* (77): 271-281.
- Mote, P.W. 2003b. Twentieth-century fluctuations in temperatures and trends in temperature, precipitation, and mountain snowpack in the Georgia Basin-Puget Sound region. *Canadian Water Resources Journal* (4): 567-585.

- Mote, P.W., D.J. Canning, D.L. Fluharty, R.C. Francis, J.F. Franklin, A.F. Hamlet, M. Hershman, M. Holmberg, K.N. Ideker, W.S. Keeton, D.P. Lettenmaier, L.R. Leung, N.J. Mantua, E.L. Miles, B. Noble, H. Parandvash, D.W. Peterson, A.K. Snover, and S.R. Willard. 1999. Impacts of Climate Variability and Change, Pacific Northwest. National Atmospheric and Oceanic Administration, Office of Global Programs, and JISAO/SMA Climate Impacts Group, Seattle, WA. 110 pp.
- Moyle, P. B. 2002. Inland Fishes of California. Revised and Expanded. Univ. Calif. Press, Berkeley and Los Angeles, CA.
- Moyle, P. B., R. M. Yoshiyama, J. E. Williams, and E. D. Wikramanayake. 1995. Eulachon *In* Fish species of special concern in California, Second Edition, p. 123-127. California Department of Fish & Game, Inland Fisheries Division, Rancho Cordova, CA.
- Musick, R.A. and 17 coauthors 2000. Marine, estuarine, and diadromous fish stocks at risk of extinction in North America (exclusive of salmonids). *Fisheries* 25(11): 6-30.
- National Marine Fisheries Service. 2008. Biological Opinion: Consultation on Remand for Operation of the Federal Columbia River Power System, 11 Bureau of Reclamation Projects in the Columbia Basin and ESA Section 10(a)(1)(A) Permit for Juvenile Fish Transportation Program. Portland, OR.
- Omernik, J.M. 1987. Ecoregions of the conterminous United States. *Ann. Assoc. Am. Geographers* 77:118-125.
- Parente, W.D. and G.R. Snyder. 1970. A pictorial record of the hatching and early development of the eulachon (*Thaleichthys pacificus*). *Northwest Science*. 44(1): 50-57.
- Parrish, R. H., C. S. Nelson, and A. Bakun. 1981. Transport mechanisms and reproductive success of fishes in the California Current. *Biol. Oceanogr.* 1: 175-203.
- Pearsall, C. E. 1928. Clarence E. Pearsall, Autobiography. *In* C. E. Pearsall (ed.), History and genealogy of the Pearsall family in England and America, p. 1483-1757. H. S. Crocker Co., San Francisco.
- Pederson, R. V. K., U. N. Orr, and D. E. Hay. 1995. Distribution and preliminary stock assessment (1993) of the eulachon *Thaleichthys pacificus* in the lower Kitimat River, British Columbia. *Can. Manuscr. Rep. Fish. Aquat. Sci.* No. 2330. Online at <http://www-sci.pac.dfo-mpo.gc.ca/herring/hertags/1995EulaKitimat.pdf> [accessed June 2008].
- Phillips, A.J. and 6 coauthors. 2007. Recent pre-recruit Pacific hake (*Merluccius productus*) occurrences in the northern California current suggests a northward expansion of their spawning range. Cooperative Institute for Marine Resources Studies, Report 48: 215-229.

- Rexstad, E. A., and Pikitch, E. K. 1986. Stomach contents and food consumption estimates of Pacific hake, *Merluccius productus*. Fishery Bulletin 84(4):947-56. Keywords: predators (fish).
- Reynolds, J. D., N. K. Dulvy, N. B. Goodwin, and J. A. Hutchings. 2005. Biology of extinction risk in marine fishes. Proc. R. Soc. B 272: 2337–2344.
- Ricker, W.E., D.F. Manzer, and E.A. Neave. 1954. The Fraser River eulachon fishery, 1941-1953. Fisheries Research Board of Canada, Manuscript Report No. 583. 35 p.
- Roemmich D. and J. McGowan. 1995. Climatic warming and the decline of zooplankton in the California current. Science 267: 1324-1326.
- Sadovy, Y. 2001. The threat of fishing to highly fecund fishes. J. Fish Biol. 59 (Suppl. A), 90–108.
- Schultz, L.P. and A.C. Delacy. 1935. Fishes of the American Northwest, Part 1. Journal of the Pan-Pacific Research Institute 10:365-380
- Shepherd, J. G., J. G. Pope, and R. D. Cousens. 1984. Variations in fish stocks and hypotheses concerning their links with climate. Cons. Perm. Int. Explor. Mer Rapp. P.-V. Reun. 185: 255-267
- Smith, W.E. and R.W. Saalfeld. 1955. Studies on the Columbia River smelt, (*Thaleichthys pacificus*). Washington Department of Fisheries, Fisheries Research Papers 1(3): 3-26.
- Spangler, E.A.K. 2002. The ecology of eulachon (*Thaleichthys pacificus*) in Twentymile River, Alaska. M.S. Thesis. University of Alaska, Fairbanks.
- Stoffels, D. 2001. Background report: eulachon in the north. Online at <http://www.livinglandscapes.bc.ca/northwest/eulachon/resources/NCEulachon.pdf> [accessed May 2008].
- Stout, H. A., R. G. Gustafson, W. H. Lenarz, B. B. McCain, D. M. Van Doornik, T. L. Builder, and R. D. Methot. 2001a. Status review of Pacific herring in Puget Sound, Washington. U.S. Dept. Commer., NOAA Tech Memo. NMFS-NWFSC-45. Online at <http://www.nwfsc.noaa.gov/publications/techmemos/tm45/tm45.htm> [accessed July 2008].
- Sturdevant, M.V., T.M. Willette, S. Jewett, E. Deberc. 1999. Diet composition, diet overlap, and size of 14 species of forage fish collected monthly in PWS, Alaska, 1994–1995. Chapter 1. Forage Fish Diet Overlap, 1994–1996. *Exon Valdez* Oil Spill Restoration final report 98163C, 12-36.

- Suuronen, P., D.L. Erickson, and Ari Orrensalo. 1996b. Mortality of herring escaping from pelagic trawl codends. *Fisheries Research* 25: 305-321.
- Suuronen, P., J.A. Perez-Comas, E. Lehtonen, and V. Tschernij. 1996a. Size-related mortality of herring (*Culpea harengus*) escaping through a rigid sorting grid and trawl codend meshes. *ICES Journal of Marine Science* 53: 691-700.
- Sweetnam, D. A., R. D. Baxter, and P. B. Moyle. 2001. True smelts. *In* W. S. Leet, C. M. Dewees, R. Klingbeil and E. J. Larson (eds.), *California's living marine resources: A status report*, p. 472-479. Calif. Dept. Fish and Game, Sacramento.
- Thompson, G. G. 1991. Determining minimum viable populations under the Endangered Species Act. NOAA Tech. Memo. NMFS F/NWC-198, 78 p.
- Thomson, R. E. 1981. Oceanography of the British Columbia coast. *Can. Spec. Publ. Fish Aquat. Sci* 56.
- Trihey and Associates. 1996. Instream flow requirements for Tribal Trust Species in the Klamath River. Prepared for the Yurok Tribe, Eureka, CA by Trihey and Associates, Inc., Concord, CA. 43 p.
- Vincik, R. F., and R. G. Titus. 2007. Occurrence of a eulachon, *Thaleichthys pacificus*, in the Lower Sacramento River, California. *Cal. Fish Game* 93: 161-165.
- Ware, D. M., and G. A. McFarlane. 1989. Fisheries production domains in the northeast Pacific Ocean. *In* R. J. Beamish, and G. A. McFarlane (eds.), *Effects of ocean variability on recruitment and an evaluation of parameters used in stock assessment models*. *Can. Spec. Publ. Fish. Aquat. Sci.* 108: 359-379.
- WDFW (Washington Department of Fish and Wildlife) and ODFW (Oregon Department of Fish and Wildlife). 2001. Washington and Oregon eulachon management plan. Washington Department of Fish and Wildlife and Oregon Department of Fish and Wildlife. Online at [http://wdfw.wa.gov/fish/creel/smelt/wa-ore\\_eulachonmgmt.pdf](http://wdfw.wa.gov/fish/creel/smelt/wa-ore_eulachonmgmt.pdf) [accessed June 2008].
- Willson, M.F., R.H. Armstrong, M.C. Hermans, and K. Koski. 2006. Eulachon: A review of biology and an annotated bibliography. AFSC Processed Report 2006-12 (August). National Marine Fisheries Service, Alaska Fisheries Science Center, Juneau, Alaska. 229 p.
- Zamon, J.E. and D.W. Welch. 2005. Rapid shifts in zooplankton community composition on the northeast Pacific shelf during the 1998–1999 El Niño-La Niña event. *Canadian Journal of Fisheries and Aquatic Science* 62: 133-144.